

9. Scott, K. P., Kashiwazaki, S., Reavy, B., and Harrison, B. D. (1994) The nucleotide sequence of potato mop-top virus RNA 2: a novel type of genome organization for a furovirus. *J. Gen. Virol.* **75**, 3561–3568.
10. Kashiwazaki, S., Scott, K. P., Reavy, B., and Harrison, B. D. (1995) Sequence analysis and gene content of potato mop-top virus RNA-3. Further evidence of heterogeneity in the genome organization of furoviruses. *Virology* **206**, 701–706.
11. Gilmer, D., Bouzoubaa, S., Hehn, A., Guilley, H., Richards, K. E., and Jonard, G. (1992) Efficient cell-to-cell movement of beet necrotic yellow vein virus requires 3' proximal genes located on RNA-2. *Virology* **189**, 40–47.
12. Koonin, E. V. (1991) The phylogeny of RNA-dependent RNA polymerases of positive-strand RNA viruses. *J. Gen. Virol.* **72**, 2197–2206.
13. Ziegler, V., Richards, K. E., Guilley, H., Jonard, G., and Putz, C. (1985) Cell-free translation of beet necrotic yellow vein virus. Readthrough of the coat protein cistron. *J. Gen. Virol.* **66**, 2079–2087.
14. Schmitt, C., Balmori, E., Jonard, G., Richards, K. E., and Guilley, H. (1992) *In vitro* mutagenesis of biologically active transcripts of beet necrotic yellow vein virus RNA-2: evidence that a domain of the 75-kDa readthrough protein is important for efficient virus assembly. *Proc. Natl. Acad. Sci. USA* **89**, 5715–5719.
15. Shirako, Y. and Ehara, Y. (1986) Comparison of the *in vitro* translation products of wild-type and a deletion mutant of soil-borne wheat mosaic virus. *Virology* **195**, 16–32.
16. Herzog, E., Guilley, H., and Fritsch, C. (1995) Translation of the second gene of peanut clump virus RNA-2 occurs by leaky scanning *in vitro*. *Virology* **208**, 215–225.
17. Tamada, T. and Kusume, T. (1991) Evidence that the 75K readthrough protein of beet necrotic yellow vein virus RNA-2 is essential for transmission by the fungus *Polymyxa betae*. *J. Gen. Virol.* **72**, 1497–1504.
18. Hehn, A., Bouzoubaa, S., Marbach, J., Bate, N., Twell, D., Richards, K. E., Guilley, H., and Jonard, G. (1995) The small cysteine-rich protein P14 of beet necrotic yellow vein virus regulates accumulation of RNA 2 in *cis* and coat protein in *trans*. *Virology* **210**, 73–81.
19. Brunt, A. A. and Richards, K. E. (1989). Biology and molecular biology of furoviruses. *Adv. Virus. Res.* **36**, 1–32.
20. Putz, C. and Kuszala, M. (1978) La rhizomanie de la betterave sucrière en Alsace. Recherche d'une nouvelle méthode de purification du "Beet Necrotic Yellow Vein Virus." *Ann. Phytopathol.* **10**, 247–262.
21. Harrison, B. D. and Jones, R. A. C. (1970) Host range and some properties of potato mop-top virus. *Ann. Appl. Biol.* **65**, 393–402.
22. Kassanis, B., Woods, R. D., and White, R. F. (1972) Some properties of potato mop-top virus and its serological relationship to tobacco mosaic virus. *J. Gen. Virol.* **14**, 123–132.
23. Randles, J. W., Harrison, B. D., and Roberts, M. (1976) *Nicotiana velutina* mosaic virus: purification, properties and affinities with other rod-shaped viruses. *Ann. Appl. Biol.* **84**, 193–204.